

T Type



DIGITAL
THERMOSTAT




EVAPORATIVE
WATER TRAY

The T series refrigerated work counter are installed with powerful air-cooled system and 300# stainless steels compartment bodies to give exceptional quality, insulation and durability. We also provide varieties of countertop customization to customers' utmost satisfaction.



Product Feature:

- Stylish stainless steel exterior with aluminum handle
- Adjustable heavy duty PVC coated shelves
- Shielded digital controller with temperature display
- Automatic de-frost
- Replaceable door seals
- Adjustable stands
- Washable condenser filter
- CFC free refrigerant



UNIT : m/m

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-T004	200	+3~+8°C	1200 x 750 x 805	1/4	R134a	220 / 110V 50 / 60Hz	2 Adjustable Shelves
RS-T005	300	+3~+8°C	1500 x 750 x 805	1/4	R134a	220 / 110V 50 / 60Hz	2 Adjustable Shelves
RS-T006	400	+3~+8°C	1800 x 750 x 805	1/4	R134a	220 / 110V 50 / 60Hz	3 Adjustable Shelves
RS-T007	500	+3~+8°C	2100 x 750 x 805	1/3	R134a	220 / 110V 50 / 60Hz	3 Adjustable Shelves
RS-T008	600	+3~+8°C	2400 x 750 x 805	1/2	R134a	220 / 110V 50 / 60Hz	3 Adjustable Shelves
RS-T004F	200	-5~-10°C	1200 x 750 x 805	1/4	R404A	220 / 110V 50 / 60Hz	2 Adjustable Shelves
RS-T005F	300	-5~-10°C	1500 x 750 x 805	5/8	R404A	220 / 110V 50 / 60Hz	2 Adjustable Shelves
RS-T006F	400	-5~-10°C	1800 x 750 x 805	5/8	R404A	220 / 110V 50 / 60Hz	3 Adjustable Shelves
RS-T007F	500	-5~-10°C	2100 x 750 x 805	3/4	R404A	220 / 110V 50 / 60Hz	3 Adjustable Shelves
RS-T008F	600	-5~-10°C	2400 x 750 x 805	3/4	R404A	220 / 110V 50 / 60Hz	3 Adjustable Shelves

ST Type



DIGITAL
THERMOSTAT




EVAPORATIVE
WATER TRAY

The ST series refrigerated work counter offers a classy yet economical chiller solution to suit all your display needs. We also provide varieties of countertop customization to customers' utmost satisfaction.



Product Feature:

- Stylish stainless steel exterior with aluminum handle
- Adjustable heavy duty PVC coated shelves
- Multi-paned heated glass
- Shielded digital controller with temperature display
- Automatic de-frost
- Replaceable door seals
- Adjustable stands
- Washable condenser filter
- CFC free refrigerant



UNIT : m/m

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-ST004	200	+3~+8°C	1200 x 750 x 805	1/4	R134a	220 / 110V 50 / 60Hz	2 Adjustable Shelves
RS-ST005	300	+3~+8°C	1500 x 750 x 805	1/4	R134a	220 / 110V 50 / 60Hz	2 Adjustable Shelves
RS-ST006	400	+3~+8°C	1800 x 750 x 805	1/4	R134a	220 / 110V 50 / 60Hz	3 Adjustable Shelves
RS-ST007	500	+3~+8°C	2100 x 750 x 805	1/3	R134a	220 / 110V 50 / 60Hz	3 Adjustable Shelves
RS-ST008	600	+3~+8°C	2400 x 750 x 805	1/2	R134a	220 / 110V 50 / 60Hz	3 Adjustable Shelves

T1 Type




The T1 series refrigerated work counter combines both sophisticated design and outstanding performance. Compartment bodies are made with stainless steels to give exceptional quality, insulation and durability. We also provide varieties of countertop customization to customers' utmost satisfaction.



Product Feature:

- Stylish stainless steel exterior and handle
- Adjustable heavy duty PVC coated shelves
- Shielded digital controller with temperature display
- Automatic de-frost
- Centripetal type door closure
- Replaceable door seals
- Adjustable stands
- Washable condenser filter
- CFC free refrigerant



Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-T1004	200	+3~+8°C	1200 x 750 x 805	1/4	R134a	220 / 110V 50 / 60Hz	2 Adjustable Shelves
RS-T1005	300	+3~+8°C	1500 x 750 x 805	1/4	R134a	220 / 110V 50 / 60Hz	2 Adjustable Shelves
RS-T1006	400	+3~+8°C	1800 x 750 x 805	1/4	R134a	220 / 110V 50 / 60Hz	3 Adjustable Shelves
RS-T1007	500	+3~+8°C	2100 x 750 x 805	1/3	R134a	220 / 110V 50 / 60Hz	3 Adjustable Shelves
RS-T1008	600	+3~+8°C	2400 x 750 x 805	1/2	R134a	220 / 110V 50 / 60Hz	3 Adjustable Shelves
RS-T1004F	200	-5~-10°C	1200 x 750 x 805	1/4	R404A	220 / 110V 50 / 60Hz	2 Adjustable Shelves
RS-T1005F	300	-5~-10°C	1500 x 750 x 805	5/8	R404A	220 / 110V 50 / 60Hz	2 Adjustable Shelves
RS-T1006F	400	-5~-10°C	1800 x 750 x 805	5/8	R404A	220 / 110V 50 / 60Hz	3 Adjustable Shelves
RS-T1007F	500	-5~-10°C	2100 x 750 x 805	3/4	R404A	220 / 110V 50 / 60Hz	3 Adjustable Shelves
RS-T1008F	600	-5~-10°C	2400 x 750 x 805	3/4	R404A	220 / 110V 50 / 60Hz	3 Adjustable Shelves

TD Type




The TD series refrigerated work counter comes with user-friendly drawer style. Made with 300# stainless steels, this model is a quality and durable add-on to any professional kitchens. We also provide varieties of countertop customization to customers' utmost satisfaction.



Product Feature:

- Stylish stainless steel exterior and handle
- Shielded digital controller with temperature display
- Automatic de-frost
- Replaceable door seals
- Adjustable stands
- Washable condenser filter
- CFC free refrigerant



UNIT : m/m

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-TD004	200	+3~+8°C	1200 x 750 x 805	1/4	R134a	220 / 110V 50 / 60Hz	2 Drawers
RS-TD005	300	+3~+8°C	1500 x 750 x 805	1/4	R134a	220 / 110V 50 / 60Hz	4 Drawers
RS-TD006	400	+3~+8°C	1800 x 750 x 805	1/4	R134a	220 / 110V 50 / 60Hz	6 Drawers
RS-TD007	500	+3~+8°C	2100 x 750 x 805	1/3	R134a	220 / 110V 50 / 60Hz	6 Drawers
RS-TD008	600	+3~+8°C	2400 x 750 x 805	1/2	R134a	220 / 110V 50 / 60Hz	8 Drawers

TW Type



DIGITAL
THERMOSTAT




EVAPORATIVE
WATER TRAY

The new TW series comes with enhanced cooling system to give a better, quieter, more efficient refrigeration capacity.
Compact work compartment with self-cleaning condenser designed for extra storage spaces and easy maintenance.
Also available in different depths for optimal store applications.



Product Feature:

- Faster, quieter refrigeration system
- Extra storage space
- Self-cleaning condenser
- Stylish stainless steel exterior and handle
- Adjustable heavy duty PVC coated shelves
- Shielded digital controller with temperature display
- Automatic de-frost
- Centripetal type door closure
- Replaceable door seals
- Adjustable stands
- Washable condenser filter
- CFC free refrigerant



Unit : m/m

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-TW004	250	+3~+8°C	1200 x 750 x 805	1/4	R134a	220 / 110V 50 / 60Hz	2 Adjustable Shelves
RS-TW005	350	+3~+8°C	1500 x 750 x 805	1/4	R134a	220 / 110V 50 / 60Hz	2 Adjustable Shelves
RS-TW006	450	+3~+8°C	1800 x 750 x 805	1/4	R134a	220 / 110V 50 / 60Hz	3 Adjustable Shelves
RS-TW007	550	+3~+8°C	2100 x 750 x 805	2/5	R134a	220 / 110V 50 / 60Hz	3 Adjustable Shelves
RS-TW008	650	+3~+8°C	2400 x 750 x 805	1/2	R134a	220 / 110V 50 / 60Hz	3 Adjustable Shelves